


Application No. 10/801,085
 Response dated July 18, 2006
 Reply to Office action dated 04/18/2006

Amendments to the claims:

This listing of claims will replace all previous versions, and listings, of claims in this application.

Listing of Claims:

Claim 1 (currently amended) A pharmaceutical composition comprising a compound of formula I



wherein n is 0 [[or 1]];

m is [[0 or]] 1;

p is 0;

Y is CH, N or NO

X is oxygen ~~or sulfur~~;

W is two H moieties;

A is [[N or]] C(R²) ;

G is [[N or]] C(R³) ;

D is [[N or]] C(R⁴) ;

~~with the proviso that no more than one of A, G, and D is nitrogen but at least one of Y, A, G, and D is nitrogen or NO~~ Y is N;

R¹ is hydrogen or C₁-C₄ alkyl;

R², R³, and R⁴ are independently hydrogen, halogen, C₁-C₄ alkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl, aryl, heteroaryl, OH, OC₁-C₄ alkyl, CO₂R¹, -CN, -NO₂, -NR⁵R⁶, -CF₃, -OSO₂CF₃, or R² and R³, or R³ and R⁴, respectively, may together form another six membered aromatic ~~or heteroarematic~~ ring sharing A and G, or G and D, respectively containing between

Application No. 10/801,085
Response dated July 18, 2006
Reply to Office action dated 04/18/2006

~~zero and two nitrogen atoms~~, and substituted with one to two of the following substituents:
independently hydrogen, halogen, C₁-C₄ alkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl, aryl, heteroaryl,
OH, OC₁-C₄ alkyl, CO₂R¹, -CN, -NO₂, -NR⁵R⁶, -CF₃, OSO₂CF₃;

R⁵ and R⁶ are independently hydrogen, C₁-C₄ alkyl, C(O)R⁷, C(O)NHR⁸, C(O)OR⁹,
SO₂R¹⁰ or may together be (CH₂)_jQ(CH₂)_k where Q is O, S, NR¹¹, or a bond;

j is 2 to 7;

k is 0 to 2;

R⁷, R⁸, R⁹, R¹⁰, and R¹¹ are independently C₁-C₄ alkyl, aryl, or heteroaryl;
together with at least one inert pharmaceutically acceptable diluent or carrier.

Claim 2 (currently amended) A pharmaceutical composition according to Claim 1, comprising a
compound selected from:

spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-bromospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-phenylspiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-nitrospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
1'-chlorospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]isoquinoline];
5'-(phenylcarboxamido)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-(phenylaminocarbonylamino)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-(phenylsulfonylamido)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-aminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-N-methylaminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-N,N-dimethylaminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-N,N-diethylaminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-N-ethylaminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-N-benzylaminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-N-formamidospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];

Application No. 10/801,085
Response dated July 18, 2006
Reply to Office action dated 04/18/2006

5'-N-acetamidospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]isoquinoline];
spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]quinoline];
5'-ethenylspiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-(E)-(phenylethenyl)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-(4-morpholino)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-(1-azetidiny)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-(E)-(2-(4-pyridyl)ethenyl)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-(E)-(2-(2-pyridyl)ethenyl)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-(2-trimethylsilylethynyl)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-ethynylspiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-(2-furyl)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-(3-pyridyl)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-methylspiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine-5'carbonitrile];
spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine-5'carboxamide];
5'-N'-(3-chlorophenyl)ureidoaminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-
furo[2,3-b]pyridine];
5'-N'-(2-nitrophenyl)ureidoaminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-
furo[2,3-b]pyridine];
4'-chlorospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
4'-methoxyspiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
4'-phenylthiospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
4'-(N-2-aminoethyl)aminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
4'-Phenylaminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
4'-methylaminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
4'-(4-N-methylpiperazin-1-yl)spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
4-chloro-spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[3,2-c]pyridine];

Application No. 10/801,085
Response dated July 18, 2006
Reply to Office action dated 04/18/2006

spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[3,2-c]pyridine];
6'-fluorospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine-6'-carbonitrile][[:]], and
6'-chlorospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
or an enantiomer, or a pharmaceutically acceptable salt thereof.

Claim 3 (currently amended) A pharmaceutical composition according to Claim 1, comprising a compound selected from:

5'-bromospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-phenylspiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-nitrospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
5'-aminospiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]isoquinoline];
spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]quinoline];
spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine][[:]], and
spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine-5'carboxamide];
or an enantiomer, or a pharmaceutically acceptable salt thereof.

Claim 4 (original) A pharmaceutical composition according to Claim 1, comprising
(2'R)-spiro[1-azabicyclo[2.2.2]octane-3,2'-(3'H)-furo[2,3-b]pyridine];
or a pharmaceutically acceptable salt thereof.

Claim 5 (original) A pharmaceutical composition according to Claim 1, comprising less than
80% by weight of said compound of formula I in admixture with an inert pharmaceutically
acceptable diluent or carrier.

Application No. 10/801,085
Response dated July 18, 2006
Reply to Office action dated 04/18/2006

Claim 6 (original) A pharmaceutical composition according to Claim 1, comprising less than 50% by weight of said compound of formula I in admixture with an inert pharmaceutically acceptable diluent or carrier.

Claim 7 (original) A pharmaceutical composition according to Claim 1, wherein said at least one inert pharmaceutically acceptable diluent or carrier is selected from lactose, starch, talc, stearic acid, tartaric acid, water, alcohols, glycerin, vegetable oils and natural or hardened oils or waxes.

Claim 8 (currently amended) A pharmaceutical composition according to Claim 1, wherein said composition is formulated as:

a tablet or dragee and wherein said at least one inert pharmaceutically acceptable diluent or carrier is selected from lactose, starch, talc, stearic acid;

a capsules wherein said at least one inert pharmaceutically acceptable diluent or carrier is selected from tartaric acid or lactose; or

an injectable solution wherein said at least one inert pharmaceutically acceptable diluent or carrier is selected from water, alcohols, glycerin, vegetable oils; or

a ~~suppositorie~~ suppository wherein said at least one inert pharmaceutically acceptable diluent or carrier is selected from natural or hardened oils or waxes.

Claim 9 (withdrawn) A method for treating or preventing a condition or disorder arising from dysfunction of nicotinic acetylcholine receptor neurotransmission comprising administering a pharmaceutical composition according to Claim 8.

Application No. 10/801,085
Response dated July 18, 2006
Reply to Office action dated 04/18/2006

Claim 10 (withdrawn) A method for treating or preventing a condition or disorder arising from dysfunction of nicotinic acetylcholine receptor neurotransmission comprising administering a pharmaceutical composition according to Claim 1.

Claim 11 (withdrawn) The method of Claim 10, comprising administering a daily dosage of of said compound of formula I from about 0.1 mg to about 20 mg per kg of body weight in divided doses 1 to 4 times a day or in sustained release form.

Claim 12 (withdrawn) The method of Claim 10, comprising administering a total daily dose of said compound of formula I in the range of from 5 mg to 1,400 mg.

Claim 13 (withdrawn) The method of Claim 12, comprising administering a total daily dose of said compound of formula I in the range of from 10 mg to 100 mg.

Claim 14 (withdrawn) The method of Claim 10, comprising administering a total daily dose of said compound of formula I by oral administration of from 2 mg to 1,400 mg admixed with a solid or liquid pharmaceutical carrier or diluent.

Claim 15 (withdrawn) The method of Claim 10 wherein said condition or disorder is selected from schizophrenia, mania, manic depression, or anxiety.

Application No. 10/801,085
Response dated July 18, 2006
Reply to Office action dated 04/18/2006

Claim 16 (withdrawn) The method of Claim 10 wherein said condition or disorder is selected from Alzheimer's disease, learning deficit, cognition deficit, attention deficit, memory loss, or Attention Deficit Hyperactivity Disorder.

Claim 17 (withdrawn) The method of Claim 10 wherein said condition or disorder is selected from pain, chronic pain, Parkinson's disease, Huntington's disease, Tourette's syndrome, or neurodegenerative disorders in which there is loss of cholinergic synapses.

Claim 18 (withdrawn) A method for inducing the cessation of smoking, or for the treatment or prophylaxis of nicotine addiction comprising administering a pharmaceutical composition according to Claim 1.

Claim 19 (withdrawn) A process for the preparation of a pharmaceutical composition according to Claim 1 which comprises mixing the ingredients.